

RS

SEGHE A NASTRO A REFENDERE
SCIES A RUBAN POUR LA REFENTE
POWER BAND RE-SAWS
TRENNBANDSÄGEN
SIERRAS DE CINTA CON ALIMENTADOR



BS 940 RS 4" Hydraulic





SEGHE A NASTRO A REFENDERE

SCIÉS A RUBAN POUR LA REFENTE

POWER BAND RE-SAWS

TRENNBANDSÄGEN

SIERRAS DE CINTA CON ALIMENTADOR




BS 940 RS 3"

BS 740 RS 3"




RS

SEGHE A NASTRO A REFENDERE
SCIES A RUBAN POUR LA REFENTE
POWER BAND RE-SAWS
TRENNBANDSÄGEN
SIERRAS DE CINTA CON ALIMENTADOR



MOD	BS 740 RS 3"	BS 940 RS 3"	BS 940 RS 3" SPECIAL	BS 940 RS 4" MANUAL	BS 940 RS 4" HYDRAULIC
Diametro volani mm. Diamètre des volants mm. Flywheels diameter mm. Roller Durchmesser mm. Diametro volantes mm.	740	940	940	940	940
Velocità volani g/min. Vitesse volants t/min Flywheel speeds r.p.m. Drehzahl U. min. R.p.m. volantes	750	660	660	660	660
Potenza motore HP (kW) Puissance moteur CV (kW) Motor power HP (kW) Motorleistung PS (kW) Potencia motor HP (kW)	12,5 (9)	15 (11)	15 (11)	20 (15) 25 (18,5) 30 (22)	20 (15) 25 (18,5) 30 (22)
Altezza max di taglio mm. Hauteur max de coupe mm. Max. cutting height mm. Max. Schnitthöhe mm. Altura max. de corte mm.	450	550	600	600	600
lunghezza di taglio mm. Longeur de coupe mm. Cutting width mm. Schnittbreite mm. Ancho de corte mm.	710	910	670	670	670
Dimensioni del tavolo mm. Dimensions de la table mm. Table sizes mm. Tischgrösse mm. Dimensiones de la mesa mm.	860x1100	860x1100	860x1100	860x1100	860x1100
Inclinazione del tavolo Inclinaison de la table Table tilting Verstellbar Tisch Mesa inclinable	0-20° x CE 0-45° non CE	0-20° x CE 0-45° non CE	0-20° x CE 0-45° non CE	0-20° x CE 0-45° non CE	0-20° x CE 0-45° non CE
Lunghezza MIN. del nastro mm. Longueur MIN. de la lame mm. Length MIN. of blade mm. Battlänge MIN. mm. Largo de la sierra MIN. mm.	5310x80x0,9	6580x90x0,9	6580x90x0,9	6580x110x0,9	6580x110x0,9
Lunghezza MAX. del nastro mm. Longueur MAX. de la lame mm. Length MAX. of blade mm. Battlänge MAX. mm. Largo de la sierra MAX. mm.	5420x80x0,9	6670x90x0,9	6670x90x0,9	6670x110x0,9	6670x110x0,9
Bocche d'aspirazione Prises d'aspiration Dust suction outlets Absaugstutzen Bocas de aspiración	1 x Ø100 1 x Ø120	1 x Ø100 1 x Ø140	1 x Ø100 1 x Ø140	3 x Ø120	3 x Ø120
Dimensioni d'imballo cm. Encombrement d'emballage cm. Packing measurements cm. Verpackungsabmessungen cm. Dimensiones d'embalaje cm.	61x253x120H	75x300x160H	90x300x160H	90x300x160H	90x300x160H +80x60x120H
Peso netto kg. Poids net kg. Net weight kg. Netto Gewicht kg. Peso neto kg.	650	830	1.030	1.250	1.350



	740 RS 3	940 RS 3	940 RS 4
H	2500	2900	2900
H1	1000	1085	1085
L	1430	1720	1720
L1	1560	1660	1800
L2	860	900	900

